



GOVERNMENT OF TAMIL NADU
DIRECTORATE OF PUBLIC HEALTH AND PREVENTIVE MEDICINE
பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத்துறை
SELF DECLARED SANITATION CERTIFICATE
(Issued under G.O.(Ms)No. 276 of Health and Family Welfare (AB2) Department dated
23.09.2024 on the basis of affidavit by the applicant)

Certificate Number : TN00126ERD27824
Organization Type : Educational Institutions
Name of the Organization : VIJAY VIKAS INTERNATIONAL
SCHOOL
Address : VIJAY VIKAS INTERNATIONAL SCHOOL
KAMPULIYAMPATTY, NEAR VIJAYAMANGALAM TOLL GATE,
PERUNDURAI, ERODE-638056

Issued Date : 05-03-2026
Expiry Date : 04-03-2027

I, M FRANCIS owner/manager of the VIJAY VIKAS INTERNATIONAL SCHOOL functioning as Educational Institutions located at Perundurai in Erode district hereby declare that

- This Self-Declared Sanitation certificate is valid from 05-03-2026 to 04-03-2027 and will be renewed every year prior to the expiry of the current certificate with updated information.
- Our premises can accommodate 1000 people/pupils and has 25 urinals and 40 toilets which is proportionate to the number of users as per government norms.
- 18 Sanitation workers are deployed to clean the entire premises including Toilets, Common Area Spaces, etc., at regular intervals and proper record is maintained.
- The waste generated on our premises is properly processed and disposed of as per Solid Waste management Rules, 2016.
- There is no potential mosquito breeding area on the premises.
- The premises have adequate drinking water fountains on each floor of the premises.
- The self-declared certificate is displayed prominently on the premises along with the protocol

The Government reserves the right to inspect at any point of time and cause for rectification or cancel or suspend the certificate and take legal action if any conditions are violated.

05/03/2026
வட்டார சுகாதார மேற்பார்வையாளர்
அரசு ஆரம்ப சுகாதார நிலையம்
நிங்கலூர், பெருந்துறை வட்டாரம்
எரோடு - 638 055

Signature of the Owner/Manager



(அ) TN00126ERD27824 என்ற தனிப்பட்ட சான்றிதழ் எண்ணை
<https://www.tnseval.in.gov.in/district/CheckStatus/Certificate/> ல் உள்ளீடு செய்து சரிபார்க்கவும்.
(அல்லது)

(ஆ) கைப்பேசியில் பார்ப்பதற்கு படிப்பான் மூலம் இணையதளத்தில் சரிபார்க்கவும்.
Genuineness of the certificate can be verified by.

(a) Keying in the unique certificate number TN00126ERD27824 in the URL.

<https://www.tnseval.in.gov.in/district/CheckStatus/Certificate/>

(or)

(b) Reading the 2D barcode with mobile barcode reader and verify through online.

M FRANCIS, M.A., B.Ed., M.Phil.,
PRINCIPAL
VIJAY VIKAS INTERNATIONAL SCHOOL
Kampuliyampatty,
Near Vijayamangalam Toll Gate,
Perundurai, Erode (Dt) - 638056.

MANAGER
VIJAY VIKAS INTERNATIONAL SCHOOL
Kampuliyampatty,
Near Vijayamangalam Toll Gate
Perundurai, Erode (Dt) - 638 056

Scanned with OKEN Scanner

Scanned with OKEN Scanner

REPORT NO:SEL/13842/25		DATE: 23.10.2025
ISSUED TO	M/s VIJAY VIKAS INTERNATIONAL SCHOOL,	
ADDRESS/CITY / TOWN	KAMPULIYAMPATTI, PERUNDURAI, ERODE - 638056.	
SAMPLING METHOD	Not Applicable	
SAMPLE DESCRIPTION	BOREWELL WATER	
SAMPLE RECEIVED ON	21.10.25	
TEST START DATE	21.10.25	
TEST END DATE	23.10.25	

S.NO.	PARAMETER	RESULTS	LIMITS (IS 10500:2012)	TEST METHOD
1.	pH at 27.0°C	7.92	6.50 - 8.50	IS:3025(Part 11):1984
2.	Colour	< 1.0 Hazen	5.0 Hazen	IS:3025(Part 4):1983
3.	Odour	Agreeable	Agreeable	IS:3025(Part 5):1983
4.	Turbidity	< 1.0 NTU	1.0 NTU	IS:3025(Part 10):1984
5.	Total Dissolved Solids	3570.0 mg/l	500.0 mg/l	IS:3025(Part 16):1984
6.	Conductivity	5492.30 micromhos/cm	-	IS:3025(Part 14):2003
7.	Total Suspended Solids	< 0.60 mg/l	-	IS:3025(Part 17):1984
8.	Total Hardness as CaCO ₃	1903.17 mg/l	200.0 mg/l	IS:3025(Part 21):2002
9.	Iron as Fe	0.46 mg/l	0.30 mg/l	IS:3025(Part 53):2003
10.	Fluoride as F	1.20 mg/l	1.0 mg/l	IS:3025(Part 60)
11.	Chloride as Cl	1843.40 mg/l	250.0 mg/l	IS:3025(Part 32):1988
12.	Sulphate as SO ₄	318.88 mg/l	200.0 mg/l	IS:3025(Part 24):1986
13.	Calcium as Ca	120.24 mg/l	75.0 mg/l	IS:3025(Part 40):1991
14.	Magnesium as Mg	389.44 mg/l	30.0 mg/l	IS:3025(Part 46):1994
15.	Carbonate hardness	690.0 mg/l	-	-
16.	Non - Carbonate hardness	1213.0 mg/l	-	-
17.	Nitrate as NO ₃	41.08 mg/l	45.0 mg/l	IS:3025(Part 34):1988
18.	Sodium as Na	370.0 mg/l	-	IS:3025(Part 45):1993
19.	Silica as SiO ₂	68.10 mg/l	-	IS:3025(Part 35):1988
20.	Oil & Grease	BDL	ABSENT	IS:3025(Part 40):1992
21.	Total Alkalinity as CaCO ₃	690.0 mg/l	200.0 mg/l	IS:3025(Part 23):1986
22.	Phenolphthalein alkalinity	BDL	-	"
23.	Non - carbonate alkalinity	690.0 mg/l	-	"


MANAGER
VIJAY VIKAS INTERNATIONAL SCHOOL
 Kampuliyampatty,
 Near Vijayamangalam Toll Gate
 Perundurai, Erode (Dt) - 638 056
 Admin. Off: No.1, Kamarajar Street, 6th Cross, K.K.Pudhur, Coimbatore - 641 098


M. FRANCIS, M.A., B.Ed., M.Phil.,
PRINCIPAL
VIJAY VIKAS INTERNATIONAL SCHOOL
 Kampuliyampatty,
 Near Vijayamangalam Toll Gate,
 Perundurai, Erode (Dt) - 638056.

Website: www.seedsenvirolabs.com
 email: seedsenvirolabs@gmail.com / info@seedsenvirolabs.com



Continuation page: 1

REPORT NO:SEL/13842/25


DATE: 23.10.2025

SAMPLE NOT DRAWN BY SEEDS ENVIRO LABS


SAMPLE SUBMITTED & IDENTIFIED BY SUPPLIER AS – BOREWELL WATER

- 1 mg/l = 1ppm / BDL – Below detectable level (Detectable level = 0.001mg/l)
- Environmental changes may affect the Physical, Chemical & other characteristics of bore well water

For SEEDSENIROLABS


Analytical Chemist / Microbiologist



Approved By: 

TECHNICAL INCHARGE

The test result only the items received & tested at SEEDS ENVIRO LABS. It is not to be reproduced anywhere except in full & in same format without written permission from the seedsenvirolabs. Unless informed by the customer, the test items will not retained for more than 5 days from the date of test report in case of uric acid test. If the customer doubt the data's means company is not responsible for any false (low) matters, the company only recheck the data's & further give the results

****END OF REPORT****


MANAGER
VIJAY VIKAS INTERNATIONAL SCHOOL
Kampuliyampatty,
Near Vijayamangalam Toll Gate
Perundurai, Erode (Dt) - 638 058


M.FRANCIS, M.A., B.Ed., M.Phil.,
PRINCIPAL
VIJAY VIKAS INTERNATIONAL SCHOOL
Kampuliyampatty,
Near Vijayamangalam Toll Gate,
Perundurai, Erode (Dt) - 638058.

Admin. Off: No.1, Kamarajar Street, 6th Cross, K.K.Pudhur, Coimbatore - 641 038.

Website: www.seedsenvirolabs.com

email: seedsenvirolabs@gmail.com / info@seedsenvirolabs.com



REPORT NO:SEL/13843/25

DATE: 23.10.2025

ISSUED TO M/s **VIJAY VIKAS INTERNATIONAL SCHOOL,**
 ADDRESS/CITY / TOWN KAMPULIYAMPATTI, PERUNDURAI, ERODE – 638056.
 SAMPLING METHOD Not Applicable
 SAMPLE DESCRIPTION R.O.WATER
 SAMPLE RECEIVED ON 21.10.25
 TEST START DATE 21.10.25
 TEST END DATE 23.10.25

S.NO.	PARAMETER	RESULTS	LIMITS (IS 10500:2012)	TEST METHOD
1.	pH at 27.0°C	6.55	6.50 – 8.50	IS:3025(Part 11):1984
2.	Colour	< 0.10 Hazen	5.0 Hazen	IS:3025(Part 4):1983
3.	Odour	Agreeable	Agreeable	IS:3025(Part 5):1983
4.	Turbidity	< 0.10 NTU	1.0 NTU	IS:3025(Part 10):1984
5.	Total Dissolved Solids	48.0 mg/l	500.0 mg/l	IS:3025(Part 16):1984
6.	Conductivity	73.84 micromhos/cm	-	IS:3025(Part 14):2003
7.	Total Suspended Solids	0.10 mg/l	-	IS:3025(Part 17):1984
8.	Total Hardness as CaCO ₃	BDL	200.0 mg/l	IS:3025(Part 21):2002
9.	Iron as Fe	BDL	0.30 mg/l	IS:3025(Part 53):2003
10.	Fluoride as F	BDL	1.0 mg/l	IS:3025(Part 60)
11.	Chloride as Cl	14.18 mg/l	250.0 mg/l	IS:3025(Part 32):1988
12.	Sulphate as SO ₄	8.0 mg/l	200.0 mg/l	IS:3025(Part 24):1986
13.	Calcium as Ca	BDL	75.0 mg/l	IS:3025(Part 40):1991
14.	Magnesium as Mg	BDL	30.0 mg/l	IS:3025(Part 46):1994
15.	Carbonate hardness	22.0 mg/l	-	-
16.	Non – Carbonate hardness	BDL	-	-
17.	Nitrate as NO ₃	BDL	45.0 mg/l	IS:3025(Part 34):1988
18.	Sodium as Na	BDL	-	IS:3025(Part 45):1993
19.	Silica as SiO ₂	BDL	-	IS:3025(Part 35):1988
20.	Oil & Grease	BDL	ABSENT	IS:3025(Part 40):1992
21.	Total Alkalinity as CaCO ₃	22.0 mg/l	200.0 mg/l	IS:3025(Part 23):1986
22.	Phenolphthalein alkalinity	BDL	-	"
23.	Non – carbonate alkalinity	22.0 mg/l	-	"


MANAGER

VIJAY VIKAS INTERNATIONAL SCHOOL
 Kampuliyampatty,
 Near Vijayamangalam Toll Gate
 Perundurai, Erode (Dt) - 638 056

Admin. Off: No.1, Kamarajar Street, 6th Cross, K.K.Pudhur, Coimbatore - 641 038.

Website: www.seedsenvirolabs.com

email: seedsenvirolabs@gmail.com / info@seedsenvirolabs.com


M. FRANCIS, M.A., B.Ed., M.Phil.,
 PRINCIPAL
 VIJAY VIKAS INTERNATIONAL SCHOOL
 Kampuliyampatty,
 Near Vijayamangalam Toll Gate,
 Perundurai, Erode (Dt) - 638056.



Continuation page: 1

REPORT NO:SEL/13843/25

DATE: 23.10.2025

SAMPLE NOT DRAWN BY SEEDS ENVIRO LABS

SAMPLE SUBMITTED & IDENTIFIED BY SUPPLIER AS - R.O.WATER

- 1 mg/l = 1ppm / BDL = Below detectable level (Detectable level = 0.001mg/l)
- Environmental changes may affect the Physical, Chemical & other characteristics of bore well water
- The above RO water **PASSES** the tested parameters of IS 10500:2012 (RE) DRINKING WATER specification.

For SEEDSENVIROLABS

[Signature]
Microbiologist



Approved by *[Signature]*

TECHNICAL INCHARGE
The test results are the same reported & the sample is not to be used for more than 3 days from the date of test report in case of untreated water. If the customer stores the sample for more than 3 days, the results will not be valid. The company will not be responsible for any loss, claim, or damage, the company will not be responsible for the results.*

End of Report

[Signature]
MANAGER
VIJAY VIKAS INTERNATIONAL SCHOOL
Kampullyampatty,
Near Vijayamangalam Toll Gate,
Perundurai, Erode (Dt) - 638 058

[Signature]
M. FRANCIS, M.A., B.Ed., M.Phil.,
PRINCIPAL
VIJAY VIKAS INTERNATIONAL SCHOOL
Kampullyampatty,
Near Vijayamangalam Toll Gate,
Perundurai, Erode (Dt) - 638036.

Admin. Off: No.1, Kamarajar Street, 6th Cross, K.K.Pudhur, Coimbatore - 641 038.

Website: www.seedsenvirolabs.com

email: seedsenvirolabs@gmail.com / info@seedsenvirolabs.com